

## **ONDC Metadata Attributes**

## **Core Attributes**

Name	Definition and Guidance	Content (Format and Recommended Values)
Identifier	The identifier of the data asset is specific and unique to the agency.	Free text (max. 200 char)
	The identifier distinguishes the data asset as unique and different from another agency data asset. Ideally it is globally unique, such as a Digital Object Identifier (DOI), it may be a unique label used within the agency. It is key to finding the data asset and to ensuring that the specific data asset can be referenced without confusion.	
Title	The most common useful name by which the data asset is known by your agency and by your largest perceived audience.	Free text (max. 200 char)
	The title should be relatively unique and can be created by following a naming convention used by your agency.	
Description	A descriptive statement of the data asset.	Free text (max. 500 char)
	Easy to read information about the data asset; the purpose is to enable users to find, categorise and evaluate the fitness of a data asset to their needs.	
	The Description attribute is also searchable and is typically several sentences long. It is useful to consider what keywords your potential audience may use to search for the data asset.	
	This field could be supplemented by the attributes <b>Keyword</b> and <b>Purpose.</b>	
Point of	The relevant contact for the data asset.	Email (or URL to web form)
Contact	Identified contact to provide additional information related to the data asset.	for the point of contact
	Ideally, a group email address or contact web page is provided because it is generic and enduring (preferable to an individual's contact). This minimises the need to regularly update metadata records.	

Name	Definition and Guidance	Content (Format and Recommended Values)
Access Rights	Access will be based on the agency's privacy, security, or other policy approaches that apply to this data asset.  Access can be:  Open - Data is publicly accessible online (registration may be required)  Conditional - Data is publicly accessible subject to certain conditions. For example: a fee applies; or the data is only accessible at a specific physical location  Restricted - Data access is limited. For example: during an embargo period; to a particular group of users; or where formal permission is granted.  This attribute relates to Security Classification and Sensitive Data.	Choose term from: Open Conditional Restricted
Security Classification	The security classification applied to the data asset as specified by the Australian Government Protective Security Policy Framework.  The originator of the data asset is responsible for applying the relevant Security Classification.  Sensitive information  UNOFFICIAL OFFICIAL OFFICIAL OFFICIAL Sensitive  No business impact business business business impact business individual, organisations or individuals. Organisations or individuals.  Compromise of information damage. This is the expected to cause of information for individuals. Organisations or individuals.  Protective Security Policy Framework (PSPF) policy 8: Sensitive and classified information (Attorney-General's Department)  This attribute relates to Sensitive Data and Access Rights.	Choose term from:  UNOFFICIAL  OFFICIAL: Sensitive  PROTECTED  SECRET  TOP SECRET
Data Custodian	The custodian(s) of the data asset.  The custodian is the agency who has the control of the data asset and has the authority for sharing and disclosure. The custodian may not be the publisher (see Publisher attribute).  According to the Data Availability and Transparency Act 2022:  "An entity is a data custodian if the entity:  (a) is a Commonwealth body; and  (b) is not an excluded entity; and	Free text e.g. The Office of the National Data Commissioner (ONDC)  Name of Agency/Department or Non Government Organisation Choose Government Agency from:

Name	Definition and Guidance	Content (Format and Recommended Values)
	(c) either:  (i) controls public sector data (whether alone or jointly with another entity), including by having the right to deal with that data; or  (ii) has become the data custodian of output of a project in accordance with section 20F."  The default may be your agency. If the asset's custodian is another agency, use a term from the Government Directory, NGO List or Research Organisation Register.	https://www.directory.go v.au/departments-and- agencies  Choose NGO from: List of Australian accredited non- government organisations (NGOs)
	Research organisation register.	Choose Research Organisation identifier from: <a href="https://ror.org/">https://ror.org/</a>
Keyword	Word(s) or terms that describe the data asset subject matter.  These word(s) or terms describe the topic(s) covered by the data asset. It answers the question "what is this data asset about?" and supports data discovery. When selecting keywords, consider what search terms your users may choose when searching for the data asset.	Free text e.g. Education and Training, Early Childhood Education,
	It is recommended to include at least one term from the Australian Governments' Interactive Functions Thesaurus (AGIFT) that covers words and terms related to Australian Government agencies' core business functions and activities.	Australian Governments' Interactive Functions Thesaurus (AGIFT)
	The top-level terms in AGIFT are: Business Support and Regulation Civic Infrastructure Communications Community Services Cultural Affairs Defence	
	Education and Training Employment Environment Finance Management Governance Health Care Immigration Indigenous Affairs International Relations	
	Justice Administration Maritime Services Natural Resources Primary Industries	

Name	Definition and Guidance	Content (Format and Recommended Values)
	Science Security Sport and Recreation Statistical Services Tourism Trade Transport  Other subject matter specific words or terms can be found in:  Vocabularies used by your agency ANZSRC Field Of Research Code 2020 Description of functions and sub-functions (Department of Finance).  Where multiple keywords apply, separate the terms with a comma ','.	
Resource Type	The type of data asset being described.  This attribute specifies the type of data asset. The most common types of data asset applicable are listed below with their definitions.  collection an aggregation of items. The term collection means that the resource is described as a group; its parts may be separately described and navigated.  dataset structured information encoded in lists, tables, databases, etc., which will normally be in a format available for direct machine processing. For example - spreadsheets, databases, GIS data, midi data. Note that unstructured numbers and words would be considered as text.  image the content is primarily symbolic visual representation other than text. For example - images and photographs of physical objects, paintings, prints, drawings, other images and graphics, animations and moving pictures, film, diagrams, maps, musical notation. Note that image may include both electronic and physical representations.  interactive resource a resource which requires interaction from the user to be understood, executed, or experienced. For example - forms on web pages, applets, multimedia learning objects, virtual reality.	Choose a term from the following list. Use the most specific relevant type:     collection     dataset     image     interactive resource     model     physical object     place     service     software     sound  Terms above are a subset from:     https://www.dublincore.org /specifications/dublin- core/resource-typelist/

Name	Definition and Guidance	Content (Format and Recommended Values)
	model an abstraction of the real thing, i.e. some generalisation and interpretation. Models could be considered a symbolic representation. Examples include performance models, cost models, mechanical models, etc.	
	service a system that provides one or more functions of value to the enduser. Examples include: a photocopying service, a banking service, an authentication service, interlibrary loans, a Z39.50 or Web server.	
	software a computer program in source or compiled form which may be available for installation non-transiently on another machine. For software which exists only to create an interactive environment, use interactive instead.	
	sound a resource whose content is primarily audio or intended to be realised in audio. For example - music, speech, recorded sounds. This category includes musical notation, including score, which is unrealised in sound.	
	This attribute could be supplemented by attribute <b>Format</b> .	
Date Modified	The most recent date the data asset record was either created, changed, updated or modified.  This refers to the <i>registration</i> of the data asset in the inventory, not a date pertaining to data asset itself.	Date/Time in format: AS/NZS ISO 8601.1:2021 e.g. 2023-09 2023-09-17 2023-09- 17T23:20:30+04:00 [dateX]["T"][timeX][shiftX]

## **Additional Attributes**

Name	Definition and Guidance	Content (Format and Recommended Values)
Publish Date	The date on which the data asset was formally issued or made available.	Date/Time in format: AS/NZS ISO 8601.1:2021 e.g. 1973-09 1973-09-17 1973-09- 17T23:20:30+04:00 [dateX]["T"][timeX][shiftX]
Temporal coverage from	The start period for which this data asset is applicable.  Temporal coverage refers to the time period that a data asset covers, which may be broader than a single collection. E.g., a data service or data portal.  This field is related to the attribute Temporal coverage to.	Date/Time in format: AS/NZS ISO 8601.1:2021 e.g. 1973-09 1973-09-17 1973-09- 17T23:20:30+04:00 [dateX]["T"][timeX][shiftX]
Temporal coverage to	The end period for which this data asset is applicable.  The data asset may not have an end date if it is being continually added to, in which case, a value is not required. E.g. a data service or data portal.  This field is related to the attribute Temporal coverage from.	Date/Time in format: AS/NZS ISO 8601.1:2021 e.g. 2023-09 2023-09-17 2023-09- 17T23:20:30+04:00 [dateX]["T"][timeX][shiftX]
Update Frequency	The frequency at which new, revised, or updated versions of this data asset are made available.  For data assets regularly released, one data asset record will represent a series; separate records will not be required per update. Agencies will determine when a new record is required for a data asset, based on changes in methodology, collection and related policies.	Choose term from:     Triennial     Biennial     Annual     Semiannual     Quarterly     Bimonthly     Monthly     Semimonthly     Biweekly     Weekly     Semiweekly     Daily     Continuous     Irregular  Terms above are a subset of     https://www.dublincore.org /specifications/dublin-

Name	Definition and Guidance	Content (Format and Recommended Values)
		core/collection- description/frequency/
Purpose	A descriptive summary of the intentions which the data asset was developed and proposed to be used for.	Free text (max 500 char)
	This field supplements the attribute <b>Description</b> .	
Location	The scope of the geographic area or location that the data asset covers.  Location represents the geographic scope of the <i>entire</i> data asset (e.g. "Australia") and is not intended to represent location values contained within the data asset, for example <i>street</i> , <i>suburb</i> or <i>region</i> which could be captured within <b>Keyword</b> , <b>Description</b> or <b>Purpose</b> .	Choose term from:     Australia     New South Wales     Victoria     Queensland     South Australia     Western Australia     Tasmania     Northern Territory     Australian Capital     Territory     Other Territories*     International  *Other territories include Jervis Bay Territory, Territory of Christmas Island, Territory of the Cocos (Keeling) Islands and Norfolk Island  OR  Provide at least one of: Australian Statistical Geography Standard (ASGS) Edition 3, July 2021 - June 2026
Access URL	The Uniform Resource Locator (URL) that links to the data asset.	URL
	If the <b>Access Rights</b> of the data asset is "open", this could be a publicly accessible permanent URL that provides (direct/mediated) access to the data asset. If the <b>Access Rights</b> of the data asset is "conditional" or "restricted", the URL could be a permanent file path to an internal system location.	
Licence	A legal document under which the data asset is made available.	Attach (or provide a URL to)
	This information may be sourced through the agency's legal department.	the licence document

Name	Definition and Guidance	Content (Format and Recommended Values)
Sensitive Data	The type of sensitivity of the data asset, where applicable.  If Security Classification has value "OFFICIAL: Sensitive", provide type of sensitivity. Where multiple sensitivity types exist within the data asset, provide the most restrictive dissemination limiting marker (DLM).  Refer to Protective Security Policy Framework (PSPF) policy 9: Access to information (Attorney-General's Department) for guidance.  This attribute relates to Security Classification and Access Rights.	Choose term from:  None Commercial Cultural Environmental Government Health/Medical Legal Personal
Legal Authority	All legal mandates under which the data asset was collected, created, received, used or disclosed.  Legal mandates could include Memorandum of Understanding; Legislation; Machinery of Government; Government policies or acts; etc. It could include the authority, e.g. (Australian Government) Federal Register of Legislation or Data Availability and Transparency Act 2022.  Where multiple legal mandates exist, separate their URLs with a comma ','.  This information may be sourced through the agency's legal department.	Free text (max 200 char)  No  URL (or file path) to relevant mandate (e.g. <a href="https://www.legislation.gov.au/">https://www.legislation.gov.au/</a> )
Disposal	The disposal action to which the data asset is subject to.  Where multiple disposal actions exist within the data asset, provide the longest retention period.  Refer to "18.3 Disposal Action" within AGRkMS V2.2 (June 2015) for guidance.  This information may be sourced through the agency's legal department.	Free text: e.g.  "Destroy 3 years after contract is terminated" "Destroy 7 years after last entry" "Destroy 75 years after date of birth of employee" "Retain as national archives"

Name	Definition and Guidance	Content (Format and Recommended Values)
Data Status	A status that describes the state of progression or registration of the data asset.  This refers to the status of the data asset registration within the inventory, not the status of the data asset itself.	Choose term from: Planned Under Development Completed
	<b>Planned</b> Registration is planned	
	Under Development Registration in progress (not all attributes populated)	
	Completed Registration complete	
File size	The volume of the data asset.	Free text
	For digital assets, provide a number and units.	e.g. N/A 2KB
	This field may not be relevant, for example, if your data asset is a data service or interactive resource.	4MB 5GB 1TB
	This information may be sourced through the agency's IT or data management departments.	
Format	The distribution format of the data asset.	Free text
	It is recommended that an agency determines a relevant set of terms to be used consistently when collecting.	e.g. CSV Database DataCube
	This information may be sourced through your agency's IT or data management departments.	GeographicData JPEG MP4
	Format is related to the attribute Resource Type.	Spreadsheet WebPage WebApplication

Name	Definition and Guidance	Content (Format and Recommended Values)
Language	The language used within the data asset.  This refers to the language used within the data asset - e.g. "English".  The default value may be set to "English". Some agencies may have assets containing languages other than English, in which case the Australian Standard Classification of Languages (ASCL) can be used.	Free text e.g. English  OR  Choose term from: Australian Standard Classification of Languages (ASCL), 2016   Australian Bureau of Statistics (abs.gov.au)
Publisher	The agency that made the data asset formally available.  The publisher is the agency that formally produced and released the data asset and controls any future version release. The Publisher may not be the Custodian (see Custodian attribute), e.g. Office of the National Data Commissioner (ONDC)  The default value may be your agency. If the asset is published by another agency, use a term from the Government Directory, NGO List or Research Organisation Register.  This field is related to attribute Data Custodian.	Free text e.g. Office of the National Data Commissioner (ONDC)  Name of Agency/Department or Non Government Organisation  Choose Government Agency from: https://www.directory.go v.au/departments-and- agencies
		Choose NGO from:  List of Australian accredited non- government organisations (NGOs)  Choose Research Organisation identifier from: https://ror.org/